

samigon® Digital Shooting Necessities

Perfect lighting for shooting small items for the internet, advertising, forensics, medical, dental, collections, etc.



Go Green

Our fluorescent lighting is environmentally friendly!

Internet Photo Studio PRO™

Total lighting control when photographing small items for the internet, catalogs, brochures, industry, etc.

- Three separate lights (2 lamps, 1 base).
- Base unit: 16" x 24" illuminated area.
- 2 fully adjustable lamp units, for heights of 12" to 24". Lamps have a magnetic mount that attaches anywhere on the base for total light positioning and control. Each lamp has its own individual switch.
- Each lamp has a 26W 5000° fluorescent lamp (120W incandescent equivalent) for bright, color corrected lighting.
- Magnetically mounted fully adjustable background support allows for rapid set-up and storage.
- Special lighting effects are easily produced by placing gels on lamps or base.
- Products up to 18"-20" in height are easily accommodated.

- CSA610 Internet Photo Studio PRO
- CSA626 Replacement Lamp for top lights (26W 5000°K)
- CTE411 Diffusion Screen for 6" Reflector



Internet Photo Studio™

Provides ideal lighting when photographing small items for the internet, catalogs, brochures, industry, etc.

- Two 8½ x 11 light units- each contains a 5000° daylight balanced fluorescent bulb. Use individually or simultaneously to provide even, shadow-free illumination.
- Two clips located on top light unit will hold background material in a natural sweep behind the item.
- Special lighting effects are easily produced by placing gel filters over the light units.
- Adjustable height (up to 10") and tilt to control glare and reflection.

- CSA600 Internet Photo Studio
- FSA819 Replacement Lamp

Compact Set up in seconds Easy-to-use



PERSONAL SERVICE IS OUR #1 PRIORITY



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722
 Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com Website: www.argraph.com



HALO-Light™ FRL-1

Fluorescent Ring Light with translucent snoot

Ideal for macro photography

- What you see is what you get
- Constant 5000° fluorescent ring light
- Provides even, shadow-free lighting
- Avoids synchronization problems with digital cameras
- Eliminates guesswork about shadows and light coverage
- Translucent snoot concentrates and intensifies the light
- Uses 6 AA batteries for portability or AC Adapter (not included)
- Includes 49mm, 52mm, and 55mm Adapters to fit most cameras. Other size series 7 adapters available.
- Dimensions: Ring Light: Diameter 90 x 26mm
- Power Pack: 115 x 62 x 58mm
- Weight: Ring Light: 83g, Power Pack: 103g

CSA309 Halo-Light Fluorescent RingLight
CSA310 AC Adapter

For digital
and film
cameras




		Distance from Halo-Light		
		100mm	200mm	300mm
Approximat Illumination (LUX)	With Snoot	1800	500	250
	Without Snoot	1200	400	200

Bracket System for Halo-Light™ Fluorescent Ring Light

Enables the use of Samigon Halo-Light™ on cameras when it can not be mounted directly on the lens.

CSA312 Bracket System



THE UNIVERSAL FLASH THAT DOES IT ALL!
Master/Slave • Digital/Conventional • Bare Bulb/Directional

Digital Bare Bulb Slave Flash

This Samigon Digital Bare Bulb Slave Flash can **distinguish the pre-flash in a digital camera**, ignore it and then trigger itself rapidly when the second exposure flash from the camera is fired. The delay can be turned off for normal cameras. The Samigon Digital Slave Flash has a highly sensitive receptor that can **detect the master flash 50ft or more away**, and is not affected by day light from a window, or other ambient light. The built in reflector can be repositioned to **change the light illumination patterns to 45, 180 and 310 degrees**. The color temperature is 5600k daylight. The Samigon Digital Bare Bulb Flash has an output of 60W/s and can recycle in 2 seconds. It screws into a standard light bulb socket for power.

An optional synch cord is available for those who wish to fire it from the camera.



Technical Data

- **Input Voltage:** 110Vac
- **Flash Power:** 60w/s
- **Recycle Time:** 2 sec.
- **Color Temperature:** 5600K daylight
- **Flash Tube Life:** 20,000 cycles
- **Flash Duration:** 1/1000 sec.
- **Changeable Reflectors Included:** 45°, 180°, 310°
- **Features:** E-27 screw base, ready light, test button, time delay for digital camera, switchable for normal camera
- Synch cord and color filters shown are available separately.

CSA356
CSA358
CSA362

Digital Bare Bulb
5' Synch Cord
Color Filters Set/5

FOR FAST DELIVERY CALL TOLL FREE!

ARGRAPH
CORP

Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com


Website: www.argraph.com

Studio Lighting Equipment for Digital Photography

Deluxe Light Kit *features...*

- (2) 26 watt 5000° lamps (equivalent to 120 watts each)
- (2) 3-section light stands extend to 7¼ ft.
- (2) 10" reflectors
- (2) Deluxe socket sets with "cool touch" wooden handles & clamps
- (2) Ball Studs


Deluxe Kit comes with Carry/Storage Box!



CSA105INT Deluxe 2-light kit

Single Light Kit *Includes...*

- (1) 26 watt 5000° lamp (equivalent to 120 watts each)
- (1) 3-section light stand extends to 7¼ ft.
- (1) 10" reflector
- (1) socket set with "cool touch" wooden handles & clamps



CSA124INT Single light kit

Studio Lighting Accessories:

- CTE415 Diffusion Screen for 10" Reflector
- CSA626 Replacement Lamp (26W 5100°K)

Samigon Digital BareBulb Kits

CSA141

This is an economical lighting kit for both digital cameras and film cameras. The kit contains 1-Digital BareBulb, 1-Umbrella lamp socket, 1- 24" silver/black umbrella, 1- 7ft black light stand, and it all fits in a hold-all carrybag. Because of the versatility of the Digital BareBulb, many lighting requirements can be satisfied with this simple, but sophisticated lighting system.

CSA141 Digital BareBulb Kit

CSA143

The kit contains 2-Digital BareBulbs, 2-Umbrella lamp sockets, 2- 24" silver/black umbrellas, 2- 7ft black light stand, and they still all fit in a hold-all carrybag and weight only 9lbs. (Includes a 5 color filter set FREE of charge)

CSA143 Digital BareBulb Kit (2)



samigon® CSA112 - Digital Light Kit 2

The Samigon Package includes 2 Basic Light Stands, Sockets, and Case along with 2 of the Samigon Digital Bare Bulb™ Slave/Flashes. The Samigon Digital Bare Bulb is the universal flash that does it all! It distinguishes the pre-flash in a digital camera. It has a high sensitive receptor that can detect the master flash 50ft or more away, and is not affected by day light from a window, or ambient light. The built in reflector can be repositioned to change the light illumination patterns to 45, 180 and 310 degrees. The Samigon Digital Bare Bulb has a 60W/s output, recycles in 2 seconds, is 5000°K, and comes with 1 PC Cord.

Digital 2 Lighting Kit includes:

- CSA107 2 Light Stands, Sockets, and Case
- CSA356 Digital Bare Bulb Slaves
- CSA358 PC Cord for CSA356



PERSONAL SERVICE IS OUR #1 PRIORITY



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722
 Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com Website: www.argraph.com

FL-360 Light Kit for Digital Photography

Three 26 watt Fluorescent Bulbs: Equal to over 360 watts of 5000° Kelvin Light
No Heat • Constant Light • Easy to Eliminate Shadows

Light kit contains the following:

- (1) 16" reflector with (3) sockets and a 12' UL cable with inline switch
- (1) 7' heavy duty air cushion 4 section stand
- (1) translucent diffuser
- (3) SB-26 fluorescent light bulbs (26 watts, 5000° Kelvin-giving light output of over 360 watt incandescent bulbs without the heat.)
- (1) carton carrying case

Great for portraits & product photography with digital cameras!

CSA630
CSA626

FL-360 Light Kit
Extra Bulb



samigon® Deluxe Portable Light Kit



This 2 light kit provides an economical way for the student or professional to easily transport and store lights for the home, studio, or location shoot. The Samigon Deluxe 2-Light Kit comes in an oversize carrying case which has room for a third light, lamps, and accessories.

Kit includes:

- 2-Deluxe 3-section lightstands (extend to 7¼ ft.)
- 2-10" Reflectors
- 2-Deluxe socket sets with wooden handles and hardware
- 2-Ball studs

To assemble a 3-way set-up,
order an additional single light kit (#CSA124).

- | | |
|-----------|---|
| CSA124 | Single-Light Kit (stand, reflector, socket set) |
| CSA124INT | Single-Light Kit with Lamp |
| CSA626 | Replacement Lamp (26W 5100°K) |
| CSA630 | FL-360 Light Kit |



CSA105 Deluxe Portable 2-Light Kit
CSA105INT Deluxe 2-Light Kit

samigon®

Portable Background Support

- Min. Ht. 101cm/40in.
- Max. Ht. 350cm/11.5ft.
- Tube dia. 29, 26, 22, 19mm
- Leg dia./span 22mm/120 cm. D.
- Crossbar - heavy duty 3 section interlocking
- Dia./length 29mm/290cm, 9.5ft. in 3 sections
- Gross weight with carry bag 6kg/12lbs.

This completely new design of aluminum portable backdrop stand is versatile, lightweight and handles heavyweight backdrops. Deluxe model backdrop stand consists of two stands and 1 crossbar in 3 sections. Includes Sturdy, convenient carrying bag.



B-900

CSA495 B-900 Portable Background Support

FOR FAST DELIVERY CALL TOLL FREE!

ARGRAPH
CORP

Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

Dalite Background Support

A basic background stand with one cross bar and two upright columns. Height is adjustable from 51" to 100". Collapsed height is 66". Width of cross bar is 63" to 116". Chrome uprights with black base. Steel construction.



CWS271 Background Support

BGS

Dalite Crossbars

Silver satin anodized aluminum. Telescoping. For use with all Dalite background supports.

CWS274	2-Section Crossbar- 63" to 116"	2-CB
CWS276	3-Section Crossbar- 56" to 151"	3-CB


ARGRAPH Gaffer's Tape

A MUST HAVE item for every photographer.

Argraph Gaffer's Tape is the finest available. This extra wide tape allows clean removal and easy hand tearing. 2" x 60yds. Sleeved 6 per color; 24 pieces per case.

For a multitude of uses:

- Temporary mounting of lighting fixtures.
- Moisture & Dust-proof sealing of equipment and film cases .
- Securing electric cables on the floor.



GRG660	Matte Gray
GRG662	Matte Black
GRG664	Matte White

CPM/Delta Plexiglas Light Dome

Provides soft diffused lighting from any direction. Allows you to completely surround the subject with light. Highlights will appear clean white without the usual reflections of studio objects. The unique one-piece seamless construction has no glue joints or seams.

Base Dia: 19½" Height: 8"



CCP41010 Light Dome I, Open Top

41010

samigon®

Portable PV Background Stand

This portable free-standing support stand for background paper is perfect for the studio, on location and in the home. Folding tripod legs permit easy handling and compact storage.



- Crafted of anodized aluminum in 3 sections.
- Weighs only 11 lbs.
- Requires no tools for assembly.
- Expands from 4ft. 3" to 8ft. 4" high and from 60" to 115" wide.

GVP100 Samigon "PV" Background Stand

60115

samigon®

Standard Umbrellas

Durable, economical flash reflecting umbrellas. Chrome shaft and frame. Easily mounted on light stand with umbrella holder. Packed in clear vinyl bag. Made in U.S.A.

Master Pack: 6



CSA440	32" Silver / Black
CSA442	48" Silver / Black
CSA452	48" White / Black
CSA444	32" White
CSA446	48" White

samigon®

Electronic Flash Meter

Compare these Features with High-Priced Units:

- Precise incident and reflected light metering with flash.
- Measuring head rotates 270° .
- Silicon Photo Diode.
- Measuring Range EV 2 to 10, precision EV ± 0.3, per 1/3 stop.
- Over/Under exposure warning.
- Aperture range F2 to F32 at ISO100.
- Displays 9 red LEDs for full stops, Yellow LED for +1/3 stop and Orange LED for +2/3 stop.
- Built-in flash trigger.
- Auto power off after 2 minutes.
- Uses 9V battery (not included).
- Includes case & wrist strap.
- Compact: 6" x 2½" x 1", Lightweight: 3.3oz.



CSA580 Electronic Flash Meter

PERSONAL SERVICE IS OUR #1 PRIORITY

ARGRAPH
CORP

Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722


Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

Paramount Heavy Duty Flash Cords

Professional quality, heavy duty flash cords are made in the U.S.A. These long lasting cords, made of 24 gauge wire, incorporate parallel wiring design to prevent kinks, twists and shorts. Plugs are molded to cords for strength, and are polarized. Individually polybagged for pegboard. Master: 10.



FIVE-FOOT COIL CORDS

CPA101	H/PC	2-6C
CPA103	PC/PC Extension	8-6C
CPA104	H/PC Long Tip	A2-6C
CPA105	Bauer PC/PC	B-6C
CPA107	Metz PC/PC	M-4C
CPA111	H/Rollei Lock	3-6C
CPA113	Graflex Bi-Post	1-6C
CPA119	H/Nikon Lock	4-6C
CPA121	H/Nikon F2	5-6C
CPA126	PC/Rollei	23-6C
CPA141	Honeywell 650 power	6-6C
CPA143	Honeywell 800 power	7-6C
CPA152	Cord H/Hasselblad	S-4C
CPA155	H/Koni Omega	K-6C
CPA159	For Sunpack SP522	SP
CPA164	Vivitar/PC	V-4C
CPA168	Vivitar/Nikon F2	V5-4C
CPA189	Honeywell/Nikon F2 Locking Tip	5H6C
CPA193	Honeywell/PC	2H-6C

COIL CORDS

CPA124	16 ft. Household to PC	2-16C
CPA125	16 ft. Household to PC Long Tip	A2-16C
CPA170	16 ft. Vivitar to PC	V-16C
CPA179	Quantum Radio II to PC	Q-3C
CPA501	3 ft. Household to PC	2-3C
CPA527	16 ft. PC Male to PC Female Extension	8-16C

STRAIGHT CORDS

CPA102	Household to PC, 15 ft.	2-15S
CPA169	Vivitar to Household Female, 6"	VSL
CPA198	PC to Monolite (phono plug), 10 ft.	ML
CPA503	Household to PC, 1 ft.	2-1S
CPA504	Household to PC, 1 ft. Long Tip	A2-1S
CPA505	H/Nikon F2	5-1S
CPA506	Vivitar to PC	V-1S
CPA521	Household to PC, 10 ft.	2-10S
CPA525	Household Male/Female, 10 ft.	HH-10S
CPA529	Male-Female Extension Cord, 15 ft.	8-15S
CPA559	Sunpak to PC, 1 ft.	SP-1S

Battery Pack Cords

Heavy duty, coiled. Approx. 30" unextended. Replace Quantum cords.

CPA221	Vivitar to HV Turbo	PM-CV
CPA223	Sunpak to HV Turbo	PM-CS5
CPA225	Metz to HV Turbo	PM-CM4
CPA227	Nikon to HV Turbo	PM-CK
CPA229	F/Canon 430 EZ to HV Turbo	PM-CZ

Y- Cords

Connect multiple flashes without a slave, or multiple camera setups to a single flash unit. Overall length: 15 ft. Each cord is made up of one 5 ft. cord connected to two 10 ft. cords with molded Y connector at center.

CPA534	PC-DDL Household 15ft.	Y-PHH
CPA536	Household Double HH Female	Y-HFF
CPA538	PC-DDL VIVT Tips 15ft.	Y-PVV

Metz Cords

For 45CT/CL3/4, 60CT4, 32CT4:

CPA670	Metz to PC, 3ft. Coil	CL-3C
CPA672	Metz to PC, 1ft. Straight	C4-1S
CPA674	Metz to PC, 15ft. Straight	CL-15S
CPA676	Metz to PC, 5ft. Coil	CLA-6C
CPA678	Metz to PC, 18ft. Straight	CL-18

For 60CT1/2, 45CT5, 32CT4:

CPA680	Metz to PC, 5ft. Coil	Z8-6C
--------	-----------------------	-------

Gold Plated Cords

First plated in silver and then in gold. The silver increases the strength of the gold bond while being an excellent conductor by itself. A high quality industrial gold, designed specially for electronic applications is used. Gold is the best conductor.

CPA602	Household to PC, 5ft. Coil	G2-6C
CPA604	Household to PC, 3ft. Coil	G2-3C
CPA606	Household to PC, 15ft. Straight	G2-15S
CPA608	Household to PC, 1ft. Straight	G2-1S
CPA610	Household to PC, 18" Straight	G2-18

Hot Shoe Cords

CPA651	HH to Hot Shoe, 5ft. Coil	HS-6C
CPA653	HH to Hot Shoe, 3ft. Coil	HS-3C
CPA655	Vivitar to Hot Shoe, 5ft. Coil	VHS-6C
CPA657	Sunpak to Hot Shoe, 5ft. Coil	SHS-6C
CPA659	HH to Hot Shoe, 1ft. Straight	HS-1S
CPA661	HH to Hot Shoe, 15ft. Straight	HS-15S

PC Converter

For slave trigger.

CGD101	PC Converter for slave trigger	HF-PF
--------	--------------------------------	-------

FOR FAST DELIVERY CALL TOLL FREE!



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

Paramount Tip Conditioner

Keeps your tip snug fitting as well as "in round". Small enough to be carried in your pocket. Master: 10.

CPA099 PC Tip Conditioner


**Paramount Deluxe PC Conditioner**

Also loosens tips that are too tight. Features multiple size adjustments to tighten most Paramount cords. Fits on key ring or key chain.

CPA097 PC Conditioner, Deluxe

Paramount Manual Tripper

Momentary push button switch to manually fire electronic flash units. Connects to flash unit through 12" straight cord attached to household plug. Master: 10.



CPA523 Manual Tripper, 1ft.

T-1S

Paramount Voltage Protected Sync Cords

A clear, high-impact plastic box, with visible circuit board is molded directly onto the cord. The circuit lowers flash sync voltage to 6 volts, the safe voltage recommended by camera manufacturers. Arcing is controlled, thereby keeping the camera contacts clean, safe, and free from damage caused by voltage.



CPA801	Household to PC (Standard) Coil extends 5ft.	VP-2-6C
CPA802	Household (Gold Plated) to PC Long Tip (Gold), 5ft. Coil	VP-G2-6C
CPA812	Household to PC, 15ft. Straight	VP-2-15S
CPA818	HH to PC Long Tip, 18" Straight	VP-A2-18
CPA823	PC to PC Female, 12"	VP-P-PF
CPA829	PC to PC Female, approx. 15ft.	VP-8-15S
CPA835	Household Male to Household Female, 1ft. Straight	VP-HH-HF
CPA851	Household to Hot Shoe, 5ft. Coiled	VP-HS-6C
CPA852	Hasselblad C Lens to Household, Coil extends 5ft	VP-S-4C
CPA859	Sunpak to PC, Coil extends 5ft.	VP-SP
CPA864	Vivatar to PC, Coil extends 5ft.	VP-V-4C
CPA898	1/4 inch Monolite to PC, 10ft. Straight	VP-ML

samigon®**Coiled Flash Cords**

Top quality coiled cords, with shielded wires, stretch to over five feet. Molded sockets for firm fit. Samigon blister pack. Master: 10.



CSA531 5ft. Coil Cord, Household/PC

CSA907 5ft. Coil Cord PC/PC (M-F)

CSA534 15ft. Coil Cord, Household/PC

samigon® Straight Flash Cords

Top quality straight flash cords. Shielded wires. Molded sockets. Samigon blister pack. Master: 10.

CSA521 12" PC-PC (M-F)

CSA523 12" PC-PC (M-M)

CSA550 3ft. PC-PC (M-F)


CSA551 6ft. PC-PC (M-F)

CSA553 9ft. PC-PC (M-F)


CSA557 12ft. PC-PC (M-F)

CSA533 12ft. PC-PC (M-M)

CSA554 15ft. PC-PC (M-F)

**samigon® Multi-Flash Clamp**

A handy accessory that can be conveniently stored in your camera bag. Clamp fits easily on a bench, door or any place in a house or studio. It can be used with slave units or any camera extension cord to give back, side or fill in lighting for your subject. Removable bounce flash shoe included. 7½ x 2¾ x 3". Weighs 6.5oz.



CSA235 Multi-Flash Clamp

**CPM/Delta
Ripgrip
Velcro Cable Wrap**

Keeps cables & cords neat, organized, and safe. Available in black, red, and blue. Wraps in both directions. Locks on cord, cannot be lost. Trimmable.



CCP46212 Pk/3, 1" x 12", one each color

46212

PERSONAL SERVICE IS OUR #1 PRIORITY

ARGRAPH
CORP

Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

DIGIPOWER Digital Camera Flashes

Digital Auto-Focus Bounce TTL Flash

- 5 Slave mode settings
- 4 Auto aperture f2.0 to f5.6
- IGBT circuit Multi-angle bounce and zoom head
- Advanced power saving function
- Rear Second Curtain Synchronization

Guide No.(ISO100/ DIN21): 33mm at 50mm Position
 Angle of illumination: 28-35-50-85mm
 Five position tilted reflector: 0°/30°/45°/60°/90°
 Recycle Time: 0.3-7sec
 Power Source: 4 x 1.5V AA alkaline batteries
 Number of Flashes: 150 times with fresh alkaline batteries
 Dimensions: 2.8 in x 3.3 in x 4.3 in
 Weight (w/o batteries): approx. 8.8 ounces



DPS61711	Canon Cameras	DP-F20C
DPS11334	Nikon Cameras	DP-F20N
DPS61724	Sony Cameras	DP-F20S

Digital Power Zoom Flash with LCD

- Digital power zoom and manual zoom flash head cover 24-85mm
- LC Display
- 5 levels of power
- Built-in reflecting plate and diffuser
- Auto Focus / TTL
- Red focus assist beam for low light focusing
- Built-in slave function

Guide No.(ISO100/ DIN21): 42mm at 85mm Position
 Angle of illumination: 24-28-35-50-70-85mm
 Five position tilted reflector: 0°/45°/60°/75°/90°
 Recycle Time: 0.5-9sec
 Power Source: 4 x 1.5V AA alkaline batteries
 Number of Flashes: 80 times with fresh alkaline batteries
 Dimensions: 2.8 in x 3.9 in x 4.9 in
 Weight (w/o batteries): approx. 9.5 ounces



DPS61726	Canon Cameras	DP-F386C
DPS61725	Nikon Cameras	DP-F386N
DPS61724	Sony Cameras	DP-F386S

samigon

PC to Hot Shoe Adapter

Provides hot shoe contact for non-hot shoe cameras that allow use of hot shoe flash units. Fits onto camera. Cord plugs into PC outlet of camera. Samigon blister pack. Master Pack: 10

CSA555 PC to Hot Shoe Adapter

**samigon**

Multi-PC Terminal-3 Outlets

Enables synchronized firing of up to 3 flash units simultaneously. Insert male PC plug of Multi-Terminal into camera PC socket. Connect up to 3 flash units with PC cords. Made in Germany. Samigon blister pack. Master Pack: 18

CSA520 Multi-PC Terminal - 3 outlets

**samigon** Hot Shoe Slave Trigger


Converts hot shoe flash guns into a slave triggered flash. Small (1 x 1/2 x 3/4), lightweight (6/10 oz.), easy to carry. Omni-directional, sensitive to 25ft. Mounts on camera shoe, tripod, or light stand.

CSA576 Hot Shoe Slave Trigger

**samigon** Hot Shoe to PC Adapter

Converts hot shoe of camera to PC socket. Allows use of non-hot shoe flash units. Fits into camera hot shoe. Provides shoe for flash on top. Samigon blister pack. Master Pack:10

CSA552 Hot Shoe to PC Adapter



Maxwell AC/DC Electronic Flash

An extremely versatile flash unit combining:

- Dual voltage AC operation. 110V for U.S., 240V for European current.
- Hot shoe and PC synching.
- AC and DC operation. AC power cord included. Requires 2-AA batteries for DC use.
- Can be positioned vertically or horizontally.

Perfect for travelers, copy work, small studios, and general all-purpose flash photography.

Guide No.: 70 (ASA100)
 Dimensions: 1 1/4" x 4 1/8" x 2 1/2"
 Weight: 5 1/2 oz.

Recycling Time: 5 -10 sec.


Includes: AC power cord, PC cord, and Built-in exposure calculator.

CSA315 AC/DC Electronic Flash

**THE SHELL**

An innovative attachment for on-camera flash units

It eliminates the problem of harsh and elongated shadows when moving from a horizontal to a vertical format. The shape and positioning of THE SHELL keeps the light coming from above and slightly to the side of the lens in both horizontal and vertical positions, the most flattering light for portraiture.



"After four months of using the Shell in a variety of situations, I give it a Thumb's Up!"
 Steve Sint, Popular Photography

Five flash head positions are available using THE SHELL.
 Each position gives a slightly different quality of light.

NOTE: The Shell can only be used with a flash unit that has a bounce and swivel head in order to properly position The Shell as shown.

THE SHELL TSM is the same as THE SHELL but with a larger head to fit Metz CT45, CT60, Sunpack and Norman Professional Strobes.

CCH101	THE SHELL TSS
CCH105	THE SHELL TSM

FOR FAST DELIVERY CALL TOLL FREE!

ARGRAPH
CORP

Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com



V-H Flip Bracket

CSA841 V-H Flip Bracket System


The Samigon V-H Flip Bracket is designed for both digital and traditional 35mm SLR cameras. It allows photographers to flip their camera from **Vertical** to **Horizontal** without changing flash position. This flip motion is smooth and does not require any locking or unlocking, enabling the photographer to go from vertical to horizontal as quickly as the action dictates.

The flash is mounted on a plate attached to two telescoping sections extending up to 28" high to eliminate shadow and red eye.

The Samigon V-H Flip Bracket has a specially designed platform that folds up neatly when not in use so that it fits in its own nylon pouch and occupies very little space in a camera bag. There is also a large rubber handgrip so the photographer can easily carry the camera and flash.



CSA841



CSA843

CSA843 V-H Flip Bracket System Deluxe

The Deluxe Unit has all the features of the Basic Unit above, plus:

- 1) A lockable, tilting cross bar to center light over camera lens.
- 2) Accepts a photo umbrella.
- 3) Sliding camera mount allows the camera to be centered under the flash no matter where the tripod mount is located on the camera.

SMOOTH FLIP
FROM VERTICAL
TO HORIZONTAL

CSA841	V-H Flip Bracket System
CSA843	V-H Flip Bracket System Deluxe
CSA852	Extra Quick Release for V-H Flip Brackets

PERSONAL SERVICE IS OUR #1 PRIORITY

ARGRAPH
CORP

Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722
Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

SunBlitz

BK400 Folding Slave Flash Bracket

Works with any digital camera system: single flash, multi-flash & red-eye reduction. You can use existing convention flashes with any digital camera that has a built-in flash, even those with no flash shoe.

The BK 400 automatically synchronizes with the flash system of your camera and the ergonomic contoured grip has a built-in slave trigger that converts any flash into a digital flash. Unit has a foldable bracket, for easy storage. Attaches to camera through the tripod screw.



CSB400 Folding Slave Flash Bracket BK400

samigon® One-Touch Folding Bracket

All metal, folding 90° shoe bracket. Molded hand grip and rubberized bed over hard metal makes this bracket a sturdy, convenient device for use on 35mm cameras. Extremely portable as it folds neatly and can fit into clothes pocket. Opens up for use and snaps into position. Spring lock holds upright shoe arm tightly. To close, release spring. Cable release socket accepts most releases. Samigon blister pack. Master: 10.



CSA413 One Touch Folding Bracket

samigon® Straight Flash Bracket


Strong aluminum alloy bar (8" long x 1" wide). Rubber base is 6" long to prevent camera slippage. Locking camera travels along 5 3/8" cut for centering camera. 1/4 x 20 screw. Built-in flash shoe for mounting flashgun. Tripod socket permits mounting on tripod. Samigon blister pack. Master: 10.



CSA415 Straight Flash Bracket

samigon® Right Angle Bracket

Rigid metal bracket to fit all cameras. Grip at 90°. Covered mounting surface affords good protection to camera. Excellent quality. With hand strap. Made in Germany. Samigon blister pack. Master: 5.



CSA822 Right Angle Bracket

CPM/Delta Flip-Flash Brackets

Ensures natural even lighting. By permitting you to keep the flash over the lens in a horizontal or vertical position it eliminates disturbing shadows and "red-eye".

The easy to hold bracket has fatigue-free, foam grip. It allows you to flip, maneuver, and hold flash units in any direction, and includes bounce flash capability.

Accepts all shoe-type or tripod flash attachments.

A 2" wide bracket fits 35mm or medium format cameras. All hardware is included.

The Flip Flash I is 7" long. The Flip Flash II is 18" long and reinforced to stay where you put it.



BCP242260 Flip Flash Bracket I 46190
CCP46194 Flip Flash Bracket II 46194

samigon® Pro Umbrella Holder

Mounts any umbrella on light stand. Accepts all shoe mounting flashguns. Tilts 180°; swivels 360°. Fits all light stands up to 5/8". Black finish. 5" high; swivels in center. Blister packed.



CSA438 Pro Umbrella Holder

CPM/Delta Universal Umbrella Bracket

For placement of umbrella/flash heads or lights. Machined from solid aircraft aluminum with a 90° tilt and 360° rotation. Fits male/female 1/4" - 20 tripod threads, male/female 3/8" and 5/8" light stands. 20 different combinations are possible. Adapters included. A flash adapter accepts all shoe-type flash attachments.



BCP242200 Universal Umbrella Bracket 46140

CPM/Delta Flexgrip Holders

Feature double-ended, flexible stainless steel spring clips and/or rubber-coated "A" clamps. Hold diffusers, gels, gobos, and reflector cards in place. They bend, twist, and stay exactly where you want them.



CCP46114 Flexgrip 1" Clamp/Clip, 6" long 46114
CCP46116 Flexgrip 1" Clamp/Clip, 12" long 46116
CCP46118 Flexgrip 1" Dual Clamp, 8" long 46118
CCP46119 Flexgrip 1/2" Dual Clamp, 6" long 46119

FOR FAST DELIVERY CALL TOLL FREE!

ARGRAPH
CORP

Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

DuraTone™

Seamless Background Paper

Available in the colors that photographers need. The 107" rolls are wound on an inner core, sleeved in plastic for protection, and boxed in standard rectangular boxes.

	Rolls 107" x 12 yds.	Rolls 53" x 12 yds.
Color	Argraph Code	Argraph Code
SUPER WHITE	GVW01C	GVY01
SKY BLUE	GVW02C	GVY02
CORAL	GVW03C	GVY03
SAND	GVW04C	GVY04
ULTRAMARINE	GVW05C	GVY05
CRIMSON	GVW06C	GVY06
SIENNA	GVW10C	GVY10
STUDIO GRAY	GVW12C	GVY12
BANANA	GVW13C	GVY13
SUEDE GREY	GVW15C	GVY15
EVERGREEN	GVW18C	GVY18
SUPER BLACK	GVW20C	GVY20
ORANGE		GVY24
SLATE GRAY	GVW26C	GVY26
THUNDER GRAY	GVW27C	GVY27
ORCHID	GVW29C	GVY29
GULF BLUE	GVW30C	GVY30
BLUE JAY	GVW31C	GVY31
LIGHT GRAY	GVW32C	GVY32
HOLLY		GVY35
TULIP	GVW37C	GVY37
CANARY	GVW38C	GVY38
SAGE	GVW46C	GVY46
BABY BLUE	GVW47C	GVY47
BONE	GVW51C	GVY51
BAMBOO	GVW52C	GVY52
BROWNSTONE	GVW53C	GVY53
CHARCOAL	GVW54C	GVY54
STUDIO BLUE	GVW58C	GVY58
FOCUS GRAY	GVW60C	GVY60

DuraTone™ EXTRA LONG Rolls – 107" x 50yds.

Available on special order (allow 3 - 4 weeks).

Order# GVX___ Example: GVX02 is Sky Blue 107" x 50yds.

DuraTone™ Photowide Background Paper 140" x 35yds.

GVP141 140" x 35yds, Super White
GVP20 140" x 35yds, Black

Other colors are available in 140" width on special order. (allow 2 weeks)

140" rolls must be shipped by truck, freight collect or added to invoice.

FLOTONE®

Graduated Background Material


A synthetic PVC material with beautiful, smoothly graduated backgrounds that afford interesting lighting effects. In a few minutes, a photographer can achieve beautiful effects that would take hours with lights and single-tone backgrounds. Each sheet is individually handmade to achieve a silky matte, non-glare surface. The material and colors do not absorb water, so they can be used with ice cubes, fruit, flowers, etc. They can be cleaned with a mild soap solution and soft cloth, making FLOTONE reusable.

Available Color	31" x 43"	43" x 67"	80" x 120"
Scarlet		GFT601	
Canary	GFT402	GFT602	
Gulf Blue	GFT403	GFT603	GFT803
Sunset	GFT407	GFT607	
Lemon > Lime	GFT408	GFT608	
Thunder Gray	GFT409	GFT609	
Rainbow	GFT410	GFT610	
Sienna		GFT612	
Blue Jay	GFT413	GFT613	
Magenta		GFT614	
Lemon > Orange	GFT417		
Studio Grey	GFT428	GFT628	
Sky Blue	GFT432	GFT632	
Tulip	GFT434	GFT634	
Toast		GFT635	
Ultramarine	GFT437	GFT637	
Red > Black	GFT438	GFT638	
Slate Gray	GFT439	GFT639	
Gulf Blue > Black	GFT444	GFT644	
Tulip > Black		GFT649	
Gray > Gulf Blue		GFT650	
Grid White > Red		GFT701	
Grid White > Gray		GFT709	
Grid Red > Black		GFT738	
Grid Blue > Black		GFT744	
Grid White > Blue		GFT763	

GFTFAN Sample Swatch Fan
GFTGFAN Grid / Diagonal Swatch Fan
GFTPTR Poster 20" x 30"

CPM\Delta Roll-Away

Paper background roll holder stores four rolls, any length, standard diameter, in an upright position. Extra heavy 3" x 24" pressure sensitive adhesive backing. Hi-density polyfoam. 24" x 6" x 3".



GCP141000 Roll-Away

44010

PERSONAL SERVICE IS OUR #1 PRIORITY



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722
Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com


Testrite Fotalite Reflectors for Quartz Lights & Photo Floods

Unusually "cool" flood and quartz lights, suitable for many photographic purposes in the studio and video use. Lights all equipped with a 10ft. 3-wire ground cord and plug, on/off switch, porcelain socket and UL approved. Heavy duty aluminum reflectors with steel shells and brackets. Lights fit onto any stand with 3/8" or 1/2" top without adapters. Swivels easily. Attractive colors as indicated on front. Bulbs not included. Barn doors and diffusion screens available for all FC models & QC12.

5" Flood, FC5

5" diameter reflector, uses 250 watt maximum, medium screw base lamps. This unit is suitable for background, hair, accent and many other uses. Baked on white finish. Produces 60° light beam. Master: 6.

CTE250 5" Flood




FC5

Testrite 8" Flood, FC8

8" diameter reflector, uses 500 watt maximum, medium screw base lamps. Suitable for main or fill in applications and many other studio uses. Baked on yellow finish. Produces 100° light beam. Master: 3.

CTE252 8" Flood




FC8

12" Quartz, QC12

Quartz unit uses 600 watt maximum DYS/DYV lamps suitable for video and photographic uses. White finish. Master: 3.

CTE258 12" Quartz



QC12

Testrite High-Heat Porcelain Reflector Units

These reflector units feature porcelain sockets and wood handling knobs, listed for 500w. The PCR/25 Kit includes a spring clamp mount and 12" reflector. The PSR/25 Kit includes a light stand mount, zinc diecast stand adapter, and 12" reflector.

CTE272 with spring clamp mount



PCR/25

Testrite Quartz Focusing, QF5


Uses 600 watt DYH 3200°K lamps, focuses for flood or spot. Suitable for video & photo use. Pebble finish reflector, safety cable. Black finish. Master: 6.

Quartz Non Focusing, QNF5

Same as above but non-focusing type. Black finish. Master: 6.

CTE264 Quartz Focusing

CTE266 Quartz Non Focusing




QF5
QNF5

Quartz, QC6

Quartz unit uses 600 watt DYX/DYV lamps, suitable for video and all photographic use. Permanent barn doors attached. Baked-on yellow finish. Master Pack: 6

CTE262 Quartz




QC6

Testrite Clamp-On Diffusion Screens

Made of "heat resistant plastic material" which clamps onto any metal reflector. For odd sizes, use the next larger size screen, because the steel clips may be bent to accommodate reflector (i.e. 9" reflector – order 10" diffusion screen). Ideal for portrait work and soft lighting effects. Uses 250 watt maximum photoflood lamp.

CTE417 12" clamp-on diffusion screen



DS-12

FOR FAST DELIVERY CALL TOLL FREE!

ARGRAPH
CORP

Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

Chelsea Reflectors

Parabolic shaped reflectors offer the most efficient light spread. Reflectors are internally finished in satin aluminum. Bulk packed for economy.

- CCH206 Pk/6, 6" Reflectors
- CCH210 Pk/12, 10" Reflectors
- CCH212 Pk/12, 12" Reflectors


Order in pack quantities only



Chelsea Clamp, Cord & Socket Set

Strong coil spring holds clamps firmly to any support. Has jaws which are rubber covered to protect furniture or other surfaces.


All sockets mounted on twin ball-joints, knurled to prevent any slippage once set. Twin button on/off switch conveniently located on socket. Unit rated up to 600W & 250V.



- CCH250 Pk/12, Clamp, Cord & Socket Set
- Order in pack quantities only

Testrite Socket and Clamp Sets

Provides rigid support for all reflector floods and spots. Rubber covered spring hand clamp. High heat (660W 250V) sockets with heat resistant push through switch and 8ft. cord. Red safety knob on the socket allows "cool & easy" handling.



- CTE441 Metal Socket & Clamp Set, 8ft. cord CW
- CTE464 Phenolic Socket & Clamp Set, 10ft. cord CWP

Testrite Metal Socket and Cord Set

High heat socket with 8 ft. cord, swivel, wood "cool" knob, and light stand adapter. Fits directly onto 3/8" top sections of lite stands. Light switch is located on the socket. Uses 75 watt maximum bulb.



- CTE443 Cord and Socket Set, Metal SCA
- CTE444 Cord and Socket Set, Phenolic SCAP

GE/Sylvania Photoflood Lamps

For use in clamp socket with reflectors.

Stock #	Ansi #	Description	Master Qty
DL/BBA	BBA	#1, 250W- 3400°K	24
DL/BCA	BCA	#B1, 250W- blue	24
DL/EBV	EBV	#2, 500W- 3400°K	24
DL/EBW	EBW	#B2, 500W- blue	24
DL/ECA	ECA	250W- 3200°K	24
DL/ECT	ECT	500W- 3200°K	24

(We reserve the privilege of substituting Sylvania, if out of GE)
For projection lamp listing, etc. see page F-5

CPM/Delta "A" Grip Clamps


Hundreds of uses. Extremely strong. Heavy, no-scratch, orange vinyl covered tips & grips. Clamps to openings, doors and foam boards. Lifetime limited warranty.



- CCP01600 "A" Grip Clamp, 1/2" 01600

Testrite Flash Shoe Adapter

Fits 3/8" tube. Shoe holds flash or strobe light, removable- exposes 1/4-20 male thread.



- CTE431 Flash Shoe Adapter FSA-6

Testrite 3/8" Stud Adapter

Has female 1/4" x 20" threads.



- CTE502 3/8" Stud Adapter PRO-A1

Testrite Flash Shoe Adapter


Has 1/4-20 female threaded base.



- CTE433 Flash Shoe Adapter PRO-A5

Testrite Flash Shoe Adapter, FSA8

Fits flash shoe on video and all cameras with adjustable 1/4" x 20" screw top.



- CTE468 Shoe Adapter FSA8

Testrite BA Ball Adapter


Fits 3/8" top of light stands. Removable ball exposes 1/4" thread.



- CTE447 BA Ball Adapter

Testrite Camera Stud and Lock Nut

Audio thread to camera stud and lock nut.



- CTE435 Camera Stud/Lock Nut TA-3

CPM/Delta Stud Adapter

- CCP21216 5/8" to 3/8" Stud Adapter 21216
- CCP21218 3/8" to 5/8" Stud Adapter 21218

PERSONAL SERVICE IS OUR #1 PRIORITY



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722
Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com



Professional Light Stands

- Samigon Professional light stands are made from the finest quality materials.
- The legs are high strength aircraft grade aluminum and the cross supports are reinforced aluminum alloy.
- The light stand collars and bases are Nylon 66, strong as steel and lighter than aluminum.
- Samigon light stands are black anodized to prevent reflections and lens flare.




- CSA201 Mini Light Stand
Specifications: 3-section, closes to 27", extends in use from 28" to 80". weight: 2lbs. 60z.
- CSA202 Backlight Pro Stand
Specifications: 2-section, height 34", weight: 2lbs. 6 oz., closed length 20", leg spread 24", center tubing diameter 1", legs 1" bar
- CSA203 Lightweight Light Stand
Specifications: 4-section, height 7ft. 2", weight: 2lbs., closed length 25.5", leg spread 31.5", center tubing diameter 1", legs 1" bar.
- CSA204 Lightweight Pro Light Stand
Specifications: 4-section, height: 7½ft., weight: 3lbs., closed length 28", leg spread 35", center tubing diameter 1", legs .9".
- CSA206 Compact Pro Light Stand
Specifications: 3-section, height: 8ft. 2", weight 3 lbs. 8 oz, closed length 34", leg spread 43", center tubing diameter 1", leg .9".
- CSA208 Pro Light Stand
Specifications: 4-section, ht: 10 ft. 8", wt: 4 lbs, closed length 35", leg spread 43", center tubing diameter 1", legs .9".
- CSA210 Master Pro Light Stand
Specifications: 4-section, height: 12 ft. 8", weight: 4 lbs. 6 oz., closed length 42", leg spread 43", center tubing diameter 1.3" legs 1".

Testrite Fitolite Stands

Made with aluminum tubing. They have clutch type locks (like camera tripods) which lock easily in any position; sections cannot pull apart.

- 100/3:** An industry favorite, for lightweight, rigidity and reasonable price. 3-section stand. Opens to 7¼ft. Closes to 31". Weighs: 1lb. 9oz.
- TIC-22:** All anodized tubing and leg assembly. 4 sections. Black anodized tripod type locking devices. Opens to 7ft. Closes to 23". Weighs 23oz.
- TIC-25:** Same as above, except 5 sections. Opens to 9ft. Closes to 25". Weighs 2lbs.
- Master: 3 (for all 3 stands).



		Sections	Opens to	
CTE225	Stand	3	7¼ft.	100/3
CTE210	Stand	4	7ft.	TIC-22
CTE220	Stand	5	9ft.	TIC-25

Testrite Swing Arm Lite Stand Swivel


Fits all makes of lite stands. Two clamps and reflectors can be placed on the 12" arms. Each arm swings independently. All metal construction.



CTE445 Swing Arm Lite Stand Swivel SA-1

Samigon® Ban-Glare Polarizer

Glare is the natural enemy of every photographer. Place the Ban-Glare polarizer in front of the light source to dramatically reduce glare. Sold in sheet sizes of 18" x 24". It can be cut to size to fit available frames. Also available in mounted cardboard.



- CSA995 18 x 24, unmounted
- CSA996 8 x 8, mounted
- CSA997 12 x 12, mounted
- CSA998 18 x 18, mounted

FOR FAST DELIVERY CALL TOLL FREE!



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

CPM/Delta Muslin Mover Rail System

Change backgrounds in seconds!

Can be configured to meet any studio layout. Compacts 10 foot backgrounds to as little as 18 inches. Easy to install. Attaches to suspended ceilings or with "L" brackets to walls. Curved track allows full use of your space. Will last a lifetime and requires no maintenance.



CCP44200	Single Wall 16' System	44200
CCP44210	Two Wall 26' System	44210
CCP44220	Three Wall 36' System	44220
CCP44230	Three Wall 42' System	44230
CCP44240	Three Wall 58' System	44240
CCP44250	4' Curved Track (90°)	44250
CCP44251	4' Straight Track	44251
CCP44252	6' Straight Track	44252
CCP44255	Nylon Track Carriers, Pkg/15	44255
CCP44256	Muslin Clips, Pkg/15	44256
CCP44257	24" Velcro Straps, Pkg/6	44257

CPM/Delta Two-Seater Pneumatic Posing Stool

Pneumatic height adjustment from 20" to 30". The oversized 25" base ensures stability and safety while the 24" x 6" cushioned ranchyde seat provides comfort and room for two. Lifetime limited warranty.



CCP40720	Posing Stool	40720
----------	--------------	-------

CPM/Delta Ripstop 100 Nylon


Make your own light panels. Durable, heat and flame resistant. Lightweight, easy to cut, washable. White for diffusing. Black for light reduction.

CCP45410	Ripstop Nylon 60" to 78", White	45410
CCP45420	Ripstop Nylon 60" to 78", Black	45420

CPM/Delta Flexiglas Mirrors

Create beautiful portraits with reflections. Unbreakable and lightweight. Reverse is flat white. Cover with gel, shear fabric, iridescent film. Easily cut to form any size or shape reflectors.

Includes plastic carry bag with Velcro closures.




CCP45550	Flexiglas Mirror, 24" x 32"	45550
CCP45560	Flexiglas Mirror, 24" x 48"	45560

CPM/Delta The Studio

Occupies only 48" x 60" of floor space. Breaks down quickly.

Accepts all 4ft. x 8ft. Plexiglas or Formica (not included).

Overall height is 85" maximum.



Variable Adjustment Wheel



- Adjustable working height from 29" to 35".
- Plexiglas is held flat with stabilizing bars.
- Extended curved front allows extremely low camera angles.
- Locking back frame is continuously adjustable from flat to 90°.
- Seamless paper roll holder.
- Surface tilts up to 12° for special effects. Precision 360° level included.
- Ships UPS (assembly required).
- Optional lighting tent (CCP301020).

CCP301000	The Studio Shooting Table	40010
-----------	---------------------------	-------

CPM/Delta The Mini-Studio

A product shooting table for limited spaces.

Assembles and breaks down quickly. Takes only 42" x 36" of floor space. The overall height is 64". Width is 42". Accepts 42" x 72" Plexiglas or Formica (not included).

- Continuously adjustable front Plexiglas curve.
- Adjustable working height from 32" to 37".
- Plexiglas is held flat with stabilizing bars.
- Surface tilts in any direction. Precision 360° level included.
- Light stand adapters on top rail for accessory booms, lights etc.
- Seamless paper roll holder.
- Ships UPS (assembly required).
- Optional lighting tent (CCP301120).



CCP301100	The Mini-Studio Shooting Table	40310
-----------	--------------------------------	-------

CPM/Delta Suspend-It

Non-reflective ultra fine alloy wire is used to suspend, float and animate objects, props or products. It is photographically invisible. Three sizes of wire, supporting weight from 1/2 lb. to 4 lbs. per wire. Will not stretch. Can be superglued, clamped, pinned or taped to most surfaces.

Each kit contains 1 roll of 20ft. lengths each of 1, 2, and 3 mil. black alloy wire, 1 bottle of Photo-Bond adhesive, 2 match activated hot melt glue sticks, 2 black suspended ceiling clip hooks, 2 alligator clips and 12 transparent pressure sensitive flat hooks.

CCP243000	Suspend-It	45010
-----------	------------	-------

PERSONAL SERVICE IS OUR #1 PRIORITY



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com



Mfg#	Category	Description	Units Per Case	Units Per Carton
------	----------	-------------	----------------	------------------


CopperTop Alkaline Batteries

MN1300B2	MN1300B2 Reg Blister	D-2pk	48	6
MN1400B2	MN1400B2 Reg Blister	C-2pk	48	8
MN1500B2	MN1500B2 Reg Blister	AA-2pk	56	14
MN1500B4	MN1500B4 Reg Blister	AA-4pk	56	14
MN1604B	MN1604B Reg Blister	9V-1pk	48	12
MN2400B2	MN2400B2 Reg Blister	AAA-2pk	54	18
MN2400B4	MN2400B4 Reg Blister	AAA-4pk	54	18
MN1300R4	MN1300R4 Saver Blister	D-4pk	12	2
MN1400R4	MN1400R4 Saver Blister	C-4pk	12	3
MN1500B8	MN1500B8 Saver Blister	AA-8pk	48	8
MN1604B2	MN1604B2 Saver Blister	9V-2pk	48	12
MN2400B8	MN2400B8 Saver Blister	AAA-8pk	40	10
MN1300VR8	MN1300VR8 Super Packs	D-8pk	12	2
MN1400VR8	MN1400VR8 Super Packs	C-8pk	12	2
MN15VR12	MN15VR12 Super Packs	AA-12pk	27	3
MN1604VR4	MN1604VR4 Super Packs	9V-4pk	12	3
MN24VR12	MN24VR12 Super Packs	AAA-12pk	24	4
MN15VR16	MN15VR16 Super Packs	AA-16pk	12	2
MN24VR16	MN24VR16 Super Packs	AAA-16pk	12	3
MN1300	MN1300 Bulk	D	72	12
MN1400	MN1400 Bulk	C	72	12
MN1500	MN1500 Bulk	AA	96	24
MN00486	WC1AGNCST 135 pc CopperTop Pre-Pack Display			



Ultra Batteries

MX1300B2	MX1300B2 Reg Blister	D-2pk	48	6
MX1400B2	MX1400B2 Reg Blister	C-2pk	48	8
MX1500B2	MX1500B2 Reg Blister	AA-2pk	56	14
MX1500B4	MX1500B4 Reg Blister	AA-4pk	56	14
MX1604B	MX1604B Reg Blister	9V-1pk	48	12
MX2400B2	MX2400B2 Reg Blister	AAA-2pk	54	18
MX2400B4	MX2400B4 Reg Blister	AAA-4pk	54	18
MX1300R4	MX1300R4 Saver Blister	D-4pk	12	2
MX1400R4	MX1400R4 Saver Blister	C-4pk	12	3
MX1500B6	MX1500B6 Saver Blister	AA-6 Pk	48	8
MX1500B8	MX1500B8 Saver Blister	AA-8pk	48	8
MX1604B2	MX1604B2 Saver Blister	9V-2pk	48	12
MX2400B6	MX2400B6 Saver Blister	AAA-6 Pk	40	10
MX2400B8	MX2400B8 Saver Blister	AAA-8pk	40	10



PowerPix Batteries

NX1500B4	NX1500B4 Reg Blister	AA-4pk	42	14
NX1500B8	NX1500B8 Reg Blister	AA-8pk	24	8
NX2400B4	NX2400B4 Reg Blister	AAA-4pk	90	10

15 Minute Battery Charger

MCEF14NC	MCEF14NC Duracell Value Charger + 4AA's		4	
MCEF15NC	MCEF15NC 15min Battery Charger		4	
MCEF20NC	MCEF20NC Duracell Mini Charger + 2 AA's		4	
MCEF21NC	MCEF21NC Power Gauge Charger + 4 AA's		4	

Rechargeable NiMH Batteries

MDC1500B2	MDC1500B2	... 2650mAh	AA-2pk	24	6
MDC1500B4	MDC1500B4	... 2650mAh	AA-4pk	24	6
MDC1500B8	MDC1500B8	... 2650mAh	AA-8pk	24	6
MDC2400B2	MDC2400B2	... 1000mAh	AAA-2pk	24	6
MDC2400B4	MDC2400B4	... 1000mAh	AAA-4pk	24	6



FOR FAST DELIVERY CALL TOLL FREE!



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

Mfg#	Category	Description	Units Per Case	Units Per Carton
Ultra Photo Lithium Batteries				
MDLCRV3B	DLCR-V3B	Photo 3V Lithium	72	6
MDLCRV3B2	DLCR-V3B2	Photo 3V Lithium	72	6
MDLCR2B	DLCR2B	Photo 3V	72	6
MDLCR2B2	DLCR2B2	Photo 3V-2pk	72	6
MDL123AB	DL123AB	Photo 3V	72	6
MDL123AB2	DL123AB2	Photo 3V-2pk	72	6
MDL223AB	DL223AB	Photo 6V	72	6
MDL245B	DL245B	Photo 6V	72	6
MDL26387	A-HPL1P	36 pc Photo Lithium Counter Rack Display		

Photo / Electronics Batteries

MDL1/3NB	DL1/3NB	Photo/Elec 3V Lithium	72	6
MN175B	MN175B	Photo/Elec 7.5V Alkaline	72	6
MX2500B2	MX2500B2	Photo/Elec AAAA-2pk	72	6
MS76B	MS76B	Photo/Elec 1.5V Silver Oxide	72	6
PX28LB	PX28LB	Photo/Elec 6V Lithium	72	6

Watch / Electronics Batteries

MD301B	D301/386B	Watch/Elec 1.5V Silver Oxide	72	6
MD303/357	D303/357PK	Watch/Elec 1.5V Silver Oxide	72	6
MD309/393	D309/393	Watch/Elec 1.5V Silver Oxide	72	6
MD361B	D361/362B	Watch/Elec 1.5V Silver Oxide	72	6
MD364B	D364B	Watch/Elec 1.5V Silver Oxide	72	6
MD370B	D370/371PK	Watch/Elec 1.5V Silver Oxide	72	6
MD377B	D377B	Watch/Elec 1.5V Silver Oxide	72	6
MD379B	D379B	Watch/Elec 1.5V Silver Oxide	72	6
MD381	D381	Watch/Elec 1.5V Silver Oxide	72	6
MD384/392	D384/392	Watch/Elec 1.5V Silver Oxide	72	6
MD389B	D389/390B	Watch/Elec 1.5V Silver Oxide	72	6
MD395B	D395/399PK	Watch/Elec 1.5V Silver Oxide	72	6
MDL1025B	DL1025B	Watch/Elec Lithium Coin Cell	72	6
MDL1216B	DL1216B	Watch/Elec Lithium Coin Cell	72	6
MD319B	D319B	Watch/Elec 1.5V Silver Oxide	72	6
MD376B	D376B	Watch/Elec 1.5V Silver Oxide	72	6
MD396B	D396/397B	Watch/Elec 1.5V Silver Oxide	72	6

Keyless Entry Batteries

MDL1616B	DL1616B	Keyless Ent ... 3V Lithium	72	6
MDL1620B	DL1620B	Keyless Ent ... 3V Lithium	72	6
MDL2016B	DL2016B	Keyless Ent ... 3V Lithium	72	6
MDL2025B	DL2025B	Keyless Ent ... 3V Lithium	72	6
MN21B	MN21B	Keyless Ent ... 12V Alkaline	72	6
MN21B2	MN21B2	Keyless Ent ... 12V-2pk Alkaline	72	6
MN27BPK	MN27BPK	Keyless Ent ... 12V Alkaline	72	6

Home Medical Batteries

M7K67B	7K67B	Medical 6V Flat-Pak	72	6
MDL2032B	DL2032B	Medical 3V Lithium	72	6
MDL2032B2	DL2032B2	Medical 3V Lithium	72	6
MDL2430B	DL2430B	Medical 3V Lithium	72	6
MDL2450B	DL2450B	Medical 3V Lithium	72	6
MN9100B2	MN9100B2	Medical N-2pk	72	6
PX28AB	PX28AB	Medical 6V Alkaline	72	6
PX76A675	PX76A675	Medical 1.5V Alkaline	72	6

Alkaline Lantern Batteries

MN908	MN908	Lantern 6-V	6	6
MN908T	MN908T	Lantern 6-V	12	12
MN918	MN918	Lantern 6-V	4	4
MN1203	MN1203	Lantern 4.5-V	48	12

Camcorder Batteries

MDR5AA	DR5AA	Camcorder 7.2V Lithium Ion	4	4
MDR7AA	DR7AA	Camcorder 3.6V Nickel Metal	4	4
MDR12AA	DR12AA	Camcorder 6V Nickel Metal	4	4

Mfg#	Category	Description	Units Per Case	Units Per Carton
Batteries				
M15SHD	Mallory	Super Bulk AA	192	24
Easy Tab Hearing Aid Batteries				
MDA675N6	DA675N6	Hearing Aid 1.4V Zinc Air	80	10
MDA10N8	DA10N8	Hearing Aid 1.4V Zinc Air	80	10
MDA13N8	DA13N8	Hearing Aid 1.4V Zinc Air	80	10
MDA312N8	DA312N8	Hearing Aid 1.4V Zinc Air	80	10

Duracell Flashlights

Durabeam Flashlight

MDFC	DFC	Flashlight Compact Light	12	12
------	-----	--------------------------------	----	----

Duracell Voyager / Duracell Explorer

- Durable Krypton bulb
- Weather resistant, Shock proof

MDFVOYAN	Voyager	Case/6
MDFEXPDV	Explorer	Case/6

Durabeam

- Rubber handle and head
- Durable ABS body construction
- Bright Krypton bulb
- 8 position stand with hanging hook
- Spare bulb holder
- 4 D Batteries required (not included)

MDFLNTDN	Durabeam	Case/6
----------	----------	--------

Focus Grip / Focus Grip Max

- Durable ABS body construction
- Rubberized head & grip
- Spot to flood focus beam
- Bright Krypton bulb, Hanging hook

MDFGRPAN	Focus Grip	Case/6
MDFGRPDN	Focus Grip Max	6

Industrial

- Ribbed for easy grip
- Bright Krypton bulb
- Heavy duty switches & switch guard

MDFINDDN	Industrial	Case/6
----------	------------	--------

Pocket

- Durable ABS construction
- Stands on its own
- Bright miniature bulb
- Translucent red, yellow, or purple

MDFPRTAN	Pocket	Case/6
----------	--------	--------

Penlight

- ABS clip holds firmly in pocket
- Easy click on/off

MDFPENAN	Pen	Case/6
----------	-----	--------

LED Key Light

- Light bulb lasts up to 100,000 hours
- 20-hour run time between battery changes

MDFLEDCN	LED Light	Case/6
----------	-----------	--------

PERSONAL SERVICE IS OUR #1 PRIORITY



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722


Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com

**Travel Smart by Franzus
Deluxe Battery Eliminator**


Dual voltage international model with selector switch. Replaces battery power with standard house current. Plug with 4 universal jacks and 9V adapter clip. 110/120 or 220/240V AC, 50/60Hz input. Six output voltage settings. Power indicator light. Polarity switch. 3" long, 8 oz. Master: 24.



CFR141 Deluxe Battery Eliminator BB-333D

**Travel Smart by Franzus
Low Wattage Converter**


Converts 220/240 voltage to standard 110/120 voltage for appliances up to 50 watts such as: electric razors, radio/cassette players and contact lens sterilizers. Enables charging of video camera batteries. Thermal protective fuse. 2½" long, 10oz. Travel pouch included. Master: 24.



CFR101 Low Wattage Converter F-11

**Travel Smart by Franzus
Step-Up Reverse Travel Converter**

Converts 110/120 voltage to 220/240 international voltage for foreign appliances up to 50 watts being used in the U.S. such as radios, cassette players, razors, calculators, and strobes. Built-in adapter pins, thermal protective fuse. 2½" long, 10oz. Travel pouch included. Master: 24.



CFR116 Step-up Reverse Travel Converter FR-22

**Travel Smart by Franzus
Dual Wattage International Converter Set**

Includes five polarized adapter plugs for use in most international countries, and a convenient zippered travel/storage bag.


- Converts 220V foreign electricity to 110V for use overseas on most U.S. domestic appliances rated 0-2000 watts.
- Low setting (0-25 watts) for electric shavers, radios, curling irons, etc.
- High setting (26-2000 watts) for high wattage appliances such as hair dryers, irons, garment steamers, etc.



CFR111 Dual Converter Travel Kit TS-2000CK

**Travel Smart by Franzus
International Adapter Plug Set**


Weighs 3.5oz. Set includes four international plugs that will adapt to nearly all electrical wall outlets throughout the world. Travel pouch included. Master: 24.



CFR105 International Adapter Plug Set M-500E

**Travel Smart by Franzus
Adapter Plugs**

Master quantity for items listed below is 24.



Adapter plug with two long thin pins:

For Europe, Africa, Middle East, Asia and parts of the Caribbean.

CFR131 Adapter Plug NW-1C

Adapter plug with two angled flat blades:

For Australia, New Zealand, Argentina, mainland China, and Fiji.

CFR133 Adapter Plug NW-2C

Adapter plug with two flat blade adapter pins:

For North, Central & South America, Caribbean, Philippines and Tahiti.

CFR135 Adapter Plug NW-3C

Three-sided adapter plug with three square flat blades:


For Great Britain, Ireland and parts of Africa.

CFR137 Adapter Plug NW-135C

**Travel Smart by Franzus
All-in-One Adapter Plug**

w/ Surge and EMI/RFI Protection

The four most common adapter configurations are all conveniently housed in a compact, easy-to-use single piece unit with a power light and surge protector that keeps your appliances safe from spikes in the flow of foreign electricity. Provides EMI/RFI power line protection. This amazing plug also accepts grounded and non-grounded, polarized and non-polarized plugs from 6 continents (Europe, Asia, Australia, Africa, North/South America). Clamping voltage: 650V, Dissipation: 120 joules. Includes travel pouch.



CFR106 All-in One Adapter Plug TS-237AP

FOR FAST DELIVERY CALL TOLL FREE!



Address: 111 Asia Place, Carlstadt, NJ 07072 Phone: (201) 939-7722

Order by Toll Free Phone: 1-888-ARGRAPH or 1-800-526-6290 Fax: (201) 939-7782

Email your orders to: orders@argraph.com

Website: www.argraph.com